



Wastewater Treatment Utility
 500 South River Road
 West Lafayette, Indiana 47906
 Voice: (765) 775-5145
 Fax: (765) 775-5149

MONTHLY REPORT OF OPERATIONS

National Pollutant Discharge Elimination System -- NPDES

January 2013--MONTHLY AVERAGES

Limit

TSS	8.6	mg/l	(30.00)
CBOD	5.5	mg/l	(25.00)
NH ₄	0.2	mg/L	(6.00)
Cl ₂	N/A	mg/L	(0.06)
E. COLI	N/A	#/100ml	(125.00)
FLOW TOTAL	280.2	MG	
	AVG	9.04	MGD
	MAX	18.14	MGD
	MIN	6.12	MGD
PRECIPITATION	3.78	INCHES	

January 2013--PERCENT REMOVALS

TSS	94.2	REPORT ONLY
CBOD	95.6	REPORT ONLY
Ammonia	98.9	REPORT ONLY
Phosphorus	27.6	REPORT ONLY

COMBINED SEWER OVERFLOWS

January 2013	MG	HOURS	Events
TOTAL FLOW	280.42		
PERCENT TREATED	99.9223		
OVERFLOW POINT			
DEHART STREET	0.1850	21.91	6
QUINCY STREET	0.0330	0.532	3
OVERFLOW TOTAL	0.2180	22.44	9